

Basic Reserving Techniques

By Benedict Escoto



This paper is produced mechanically as part of FAViR.
See <http://www.favir.net> for more information.

Contents

| | | |
|----------|---------------------------------------|-----------|
| 1 | Introduction | 1 |
| 2 | Original Data | 2 |
| 3 | Basic Methods | 6 |
| 3.1 | LDF Selection | 6 |
| 3.2 | Tail Selection | 6 |
| 3.3 | Final LDF Selection | 6 |
| 3.4 | Chain Ladder | 6 |
| 3.5 | Bornhuetter-Ferguson | 6 |
| 3.6 | Cape Cod (Stanard-Buhlmann) | 6 |
| 4 | The ChainLadder Package | 16 |
| 4.1 | Mack Chain Ladder | 16 |
| 4.1.1 | Paid Loss | 16 |
| 4.1.2 | Incurred Loss | 16 |
| 4.2 | Munich Chain Ladder | 16 |
| 5 | Assumption Testing | 23 |
| 6 | Summary of Results | 28 |
| 7 | Legal | 31 |

1 Introduction

This paper is part of the FAViR series. The first part of the paper presents various basic reserve development methods in R. These methods include:

- Chain Ladder
- Bornhuetter-Ferguson
- Cape-Cod (Standard-Buhlmann)
- Mack Chain Ladder
- Munich Chain Ladder

The last two use code courtesy of Markus Gesmann and estimate reserve uncertainty as well as the expected value. The second part of the paper places these techniques in a popular statistical evaluation [?, ?, ?] framework and presents a couple of basic diagnostics which may indicate which technique is more appropriate for the data in question.

Although the Chain Ladder and Bornhuetter-Ferguson family of reserving methods are well-covered on the actuarial syllabus [?], this R implementation may be useful for several reasons. First, if R is used for other methods, it may be convenient to use basic methods in R as a check. Second, this paper may facilitate the production of automated reserving reports. Third, basic reserving diagnostics and uncertainty measurements can be time consuming to program and display.

2 Original Data

This chapter does not contain any techniques, but simply prints the input data used for later methods. The reserving techniques in this paper require only basic information:

1. Paid and case-incurred losses by development age and origin
2. Earned premium by origin
3. A priori loss by origin (for the Bornhuetter-Ferguson method)

where “origin” can be accident year, policy year, etc.

All the required data is shown in this section. Figure 1 is the input triangle showing incurred losses by accident year and development month. Figure 2 is the corresponding record of paid losses. Figure 3 shows the premium and a priori loss estimates by accident year.

| Accident Year | Incurred Loss by Development Age | | | | | | | | | | | |
|------------------|----------------------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| | 3 | 15 | 27 | 39 | 51 | 63 | 75 | 87 | 99 | 111 | 123 | 135 |
| 1995 | 44 | 1,331 | 3,319 | 4,020 | 4,232 | 4,252 | 4,334 | 4,369 | 4,386 | 4,395 | 4,401 | 4,399 |
| 1996 | 42 | 1,244 | 3,508 | 4,603 | 4,842 | 4,970 | 5,059 | 5,083 | 5,155 | 5,205 | 5,205 | |
| 1997 | 17 | 1,088 | 3,438 | 4,169 | 4,371 | 4,482 | 4,626 | 4,734 | 4,794 | 4,804 | | |
| 1998 | 10 | 781 | 3,135 | 4,085 | 4,442 | 4,777 | 4,914 | 5,110 | 5,176 | | | |
| 1999 | 13 | 937 | 3,506 | 4,828 | 5,447 | 5,790 | 6,112 | 6,295 | | | | |
| 2000 | 2 | 751 | 2,639 | 3,622 | 3,931 | 4,077 | 4,244 | | | | | |
| 2001 | 4 | 1,286 | 3,570 | 4,915 | 5,377 | 5,546 | | | | | | |
| 2002 | 2 | 911 | 5,023 | 6,617 | 7,194 | | | | | | | |
| 2003 | 3 | 1,398 | 4,021 | 4,825 | | | | | | | | |
| 2004 | 4 | 1,130 | 3,981 | | | | | | | | | |
| 2005 | 21 | 915 | | | | | | | | | | |
| 2006 | 13 | | | | | | | | | | | |

Figure 1: Incurred Loss Triangle

| Accident Year | Paid Loss by Development Age | | | | | | | | | | | |
|------------------|------------------------------|-----|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| | 3 | 15 | 27 | 39 | 51 | 63 | 75 | 87 | 99 | 111 | 123 | 135 |
| 1995 | 3 | 503 | 2,474 | 3,719 | 4,094 | 4,194 | 4,303 | 4,350 | 4,382 | 4,394 | 4,394 | 4,398 |
| 1996 | 1 | 465 | 2,621 | 4,122 | 4,618 | 4,882 | 4,997 | 5,041 | 5,111 | 5,172 | 5,191 | |
| 1997 | 1 | 534 | 2,541 | 3,807 | 4,192 | 4,374 | 4,544 | 4,679 | 4,761 | 4,787 | | |
| 1998 | 1 | 329 | 2,204 | 3,673 | 4,242 | 4,616 | 4,827 | 5,051 | 5,145 | | | |
| 1999 | 1 | 399 | 2,496 | 4,304 | 5,197 | 5,674 | 6,031 | 6,244 | | | | |
| 2000 | 1 | 328 | 1,849 | 3,124 | 3,693 | 3,966 | 4,164 | | | | | |
| 2001 | 1 | 443 | 2,566 | 4,208 | 5,074 | 5,474 | | | | | | |
| 2002 | 1 | 401 | 3,078 | 5,459 | 6,748 | | | | | | | |
| 2003 | 1 | 326 | 2,372 | 4,132 | | | | | | | | |
| 2004 | 4 | 524 | 2,784 | | | | | | | | | |
| 2005 | 1 | 323 | | | | | | | | | | |
| 2006 | 1 | | | | | | | | | | | |

Figure 2: Paid Loss Triangle

| Accident Year | Earned Premium | A Priori Loss | A Priori Loss Ratio |
|------------------|-------------------|------------------|------------------------|
| 1995 | 6,000 | 4,800 | 80.0 |
| 1996 | 6,000 | 4,800 | 80.0 |
| 1997 | 6,000 | 4,800 | 80.0 |
| 1998 | 6,000 | 4,800 | 80.0 |
| 1999 | 6,000 | 4,800 | 80.0 |
| 2000 | 6,000 | 4,800 | 80.0 |
| 2001 | 6,000 | 4,800 | 80.0 |
| 2002 | 6,000 | 4,800 | 80.0 |
| 2003 | 6,000 | 4,800 | 80.0 |
| 2004 | 6,000 | 4,800 | 80.0 |
| 2005 | 6,000 | 4,800 | 80.0 |
| 2006 | 6,000 | 4,800 | 80.0 |
| Avg | 6,000 | 4,800 | 80.0 |

Figure 3: Premium and A Priori Loss

3 Basic Methods

This chapter includes the traditional Chain Ladder and Bornhuetter-Ferguson methods. They are performed separately on paid and case-incurred losses.

3.1 LDF Selection

Figure 4 shows LDFs derived from paid loss triangles in the traditional manner. Below we will use the weighted average LDFs as our selected paid age-to-age factors. LDFs for incurred loss are presented in figure 5.

3.2 Tail Selection

One family of methods estimates tail factors by fitting the age-to-age factors for older years to various curves. The tail factor can be found by extrapolating the curve to infinity. This section performs this fitting separately for paid and incurred loss.

For paid loss, the factors in 4 are used. The trailing LDFs used for fitting are shown in figure 6 and the results are shown in figure 7.

For incurred loss, the factors are taken from 5. The trailing LDFs used for fitting are shown in figure 8 and the results are shown in figure 9.

3.3 Final LDF Selection

Selecting the modified McClenahan tail factor, we arrive at the final LDFs to ultimate. Paid LDFs are in figure 10; figure 11 has incurred LDFs to ultimate.

3.4 Chain Ladder

Figure 12 shows the results by accident year of apply the basic chain ladder technique on paid losses. Figure 13 shows the results by accident year of apply the basic chain ladder technique on incurred losses.

3.5 Bornhuetter-Ferguson

Basic reserves by accident year according to the Bornhuetter-Ferguson method applied to paid loss are shown in figure 14. Figure 15 is the corresponding incurred loss exhibit.

3.6 Cape Cod (Stanard-Buhlmann)

The Cape Cod technique has two stages. The first, picking a prior loss ratio, is shown in figure 16 for paid loss and in figure 18 for incurred loss. The resulting loss ratio, as shown in the last row, is the ratio of the sum of latest diagonals with the used-up premium.

| Accident Year | Paid Loss by Development Age | | | | | | | | | | | | |
|------------------|-------------------------------------|----------|----------|----------|----------|----------|----------|----------|-----------|------------|------------|-------|--|
| | 3 | 15 | 27 | 39 | 51 | 63 | 75 | 87 | 99 | 111 | 123 | 135 | |
| 1995 | 3 | 503 | 2,474 | 3,719 | 4,094 | 4,194 | 4,303 | 4,350 | 4,382 | 4,394 | 4,394 | 4,398 | |
| 1996 | 1 | 465 | 2,621 | 4,122 | 4,618 | 4,882 | 4,997 | 5,041 | 5,111 | 5,172 | 5,191 | | |
| 1997 | 1 | 534 | 2,541 | 3,807 | 4,192 | 4,374 | 4,544 | 4,679 | 4,761 | 4,787 | | | |
| 1998 | 1 | 329 | 2,204 | 3,673 | 4,242 | 4,616 | 4,827 | 5,051 | 5,145 | | | | |
| 1999 | 1 | 399 | 2,496 | 4,304 | 5,197 | 5,674 | 6,031 | 6,244 | | | | | |
| 2000 | 1 | 328 | 1,849 | 3,124 | 3,693 | 3,966 | 4,164 | | | | | | |
| 2001 | 1 | 443 | 2,566 | 4,208 | 5,074 | 5,474 | | | | | | | |
| 2002 | 1 | 401 | 3,078 | 5,459 | 6,748 | | | | | | | | |
| 2003 | 1 | 326 | 2,372 | 4,132 | | | | | | | | | |
| 2004 | 4 | 524 | 2,784 | | | | | | | | | | |
| 2005 | 1 | 323 | | | | | | | | | | | |
| 2006 | 1 | | | | | | | | | | | | |
| Accident Year | Age to Age Loss Development Factors | | | | | | | | | | | | |
| | 3 to 15 | 15 to 27 | 27 to 39 | 39 to 51 | 51 to 63 | 63 to 75 | 75 to 87 | 87 to 99 | 99 to 111 | 111 to 123 | 123 to 135 | | |
| 1995 | 167.67 | 4.92 | 1.50 | 1.10 | 1.02 | 1.03 | 1.01 | 1.01 | 1.00 | 1.00 | 1.00 | | |
| 1996 | 465.00 | 5.64 | 1.57 | 1.12 | 1.06 | 1.02 | 1.01 | 1.01 | 1.01 | 1.00 | | | |
| 1997 | 534.00 | 4.76 | 1.50 | 1.10 | 1.04 | 1.04 | 1.03 | 1.02 | 1.01 | | | | |
| 1998 | 329.00 | 6.70 | 1.67 | 1.15 | 1.09 | 1.05 | 1.05 | 1.02 | | | | | |
| 1999 | 399.00 | 6.26 | 1.72 | 1.21 | 1.09 | 1.06 | 1.04 | | | | | | |
| 2000 | 328.00 | 5.64 | 1.69 | 1.18 | 1.07 | 1.05 | | | | | | | |
| 2001 | 443.00 | 5.79 | 1.64 | 1.21 | 1.08 | | | | | | | | |
| 2002 | 401.00 | 7.68 | 1.77 | 1.24 | | | | | | | | | |
| 2003 | 326.00 | 7.28 | 1.74 | | | | | | | | | | |
| 2004 | 131.00 | 5.31 | | | | | | | | | | | |
| 2005 | 323.00 | | | | | | | | | | | | |
| Average | Averaged Age-to-Age LDFs | | | | | | | | | | | | |
| | 3 to 15 | 15 to 27 | 27 to 39 | 39 to 51 | 51 to 63 | 63 to 75 | 75 to 87 | 87 to 99 | 99 to 111 | 111 to 123 | 123 to 135 | | |
| Average | 349.70 | 6.00 | 1.65 | 1.16 | 1.07 | 1.04 | 1.03 | 1.01 | 1.01 | 1.00 | 1.00 | | |
| Avg xHi,Lo | 353.52 | 5.94 | 1.65 | 1.16 | 1.07 | 1.04 | 1.03 | 1.02 | 1.01 | 1.00 | 1.00 | | |
| Avg Last 5 | 324.80 | 6.34 | 1.71 | 1.20 | 1.08 | 1.04 | 1.03 | 1.01 | 1.01 | 1.00 | 1.00 | | |
| Weighted Avg | 285.94 | 5.88 | 1.65 | 1.17 | 1.07 | 1.04 | 1.03 | 1.01 | 1.01 | 1.00 | 1.00 | | |
| Weighted Last 5 | 252.12 | 6.26 | 1.72 | 1.20 | 1.08 | 1.04 | 1.03 | 1.01 | 1.01 | 1.00 | 1.00 | | |

Figure 4: Traditional LDF Exhibit based on Paid Loss

| Accident Year | Incurred Loss by Development Age | | | | | | | | | | | | | |
|------------------|-------------------------------------|----------|----------|----------|----------|----------|----------|----------|-----------|------------|------------|-------|--|--|
| | 3 | 15 | 27 | 39 | 51 | 63 | 75 | 87 | 99 | 111 | 123 | 135 | | |
| 1995 | 44 | 1,331 | 3,319 | 4,020 | 4,232 | 4,252 | 4,334 | 4,369 | 4,386 | 4,395 | 4,401 | 4,399 | | |
| 1996 | 42 | 1,244 | 3,508 | 4,603 | 4,842 | 4,970 | 5,059 | 5,083 | 5,155 | 5,205 | 5,205 | | | |
| 1997 | 17 | 1,088 | 3,438 | 4,169 | 4,371 | 4,482 | 4,626 | 4,734 | 4,794 | 4,804 | | | | |
| 1998 | 10 | 781 | 3,135 | 4,085 | 4,442 | 4,777 | 4,914 | 5,110 | 5,176 | | | | | |
| 1999 | 13 | 937 | 3,506 | 4,828 | 5,447 | 5,790 | 6,112 | 6,295 | | | | | | |
| 2000 | 2 | 751 | 2,639 | 3,622 | 3,931 | 4,077 | 4,244 | | | | | | | |
| 2001 | 4 | 1,286 | 3,570 | 4,915 | 5,377 | 5,546 | | | | | | | | |
| 2002 | 2 | 911 | 5,023 | 6,617 | 7,194 | | | | | | | | | |
| 2003 | 3 | 1,398 | 4,021 | 4,825 | | | | | | | | | | |
| 2004 | 4 | 1,130 | 3,981 | | | | | | | | | | | |
| 2005 | 21 | 915 | | | | | | | | | | | | |
| 2006 | 13 | | | | | | | | | | | | | |
| Accident Year | Age to Age Loss Development Factors | | | | | | | | | | | | | |
| | 3 to 15 | 15 to 27 | 27 to 39 | 39 to 51 | 51 to 63 | 63 to 75 | 75 to 87 | 87 to 99 | 99 to 111 | 111 to 123 | 123 to 135 | | | |
| 1995 | 30.25 | 2.49 | 1.21 | 1.05 | 1.00 | 1.02 | 1.01 | 1.00 | 1.00 | 1.00 | 1.00 | | | |
| 1996 | 29.62 | 2.82 | 1.31 | 1.05 | 1.03 | 1.02 | 1.00 | 1.01 | 1.01 | 1.00 | | | | |
| 1997 | 64.00 | 3.16 | 1.21 | 1.05 | 1.03 | 1.03 | 1.02 | 1.01 | 1.00 | | | | | |
| 1998 | 78.10 | 4.01 | 1.30 | 1.09 | 1.08 | 1.03 | 1.04 | 1.01 | | | | | | |
| 1999 | 72.08 | 3.74 | 1.38 | 1.13 | 1.06 | 1.06 | 1.03 | | | | | | | |
| 2000 | 375.50 | 3.51 | 1.37 | 1.09 | 1.04 | 1.04 | | | | | | | | |
| 2001 | 321.50 | 2.78 | 1.38 | 1.09 | 1.03 | | | | | | | | | |
| 2002 | 455.50 | 5.51 | 1.32 | 1.09 | | | | | | | | | | |
| 2003 | 466.00 | 2.88 | 1.20 | | | | | | | | | | | |
| 2004 | 282.50 | | | | | | | | | | | | | |
| 2005 | 43.57 | 3.52 | | | | | | | | | | | | |
| Average | Averaged Age-to-Age LDFs | | | | | | | | | | | | | |
| | 3 to 15 | 15 to 27 | 27 to 39 | 39 to 51 | 51 to 63 | 63 to 75 | 75 to 87 | 87 to 99 | 99 to 111 | 111 to 123 | 123 to 135 | | | |
| Average | 201.69 | 3.44 | 1.30 | 1.08 | 1.04 | 1.03 | 1.02 | 1.01 | 1.00 | 1.00 | 1.00 | | | |
| Avg xHi,Lo | 191.44 | 3.30 | 1.30 | 1.08 | 1.04 | 1.03 | 1.02 | 1.01 | 1.00 | 1.00 | 1.00 | | | |
| Avg Last 5 | 313.81 | 3.64 | 1.33 | 1.10 | 1.05 | 1.04 | 1.02 | 1.01 | 1.00 | 1.00 | 1.00 | | | |
| Weighted Avg | 72.67 | 3.33 | 1.30 | 1.08 | 1.04 | 1.03 | 1.02 | 1.01 | 1.00 | 1.00 | 1.00 | | | |
| Weighted Last 5 | 165.88 | 3.51 | 1.32 | 1.10 | 1.05 | 1.04 | 1.02 | 1.01 | 1.00 | 1.00 | 1.00 | | | |

Figure 5: Traditional LDF Exhibit Based on Incurred Loss

| 87 to 99 | 99 to 111 | 111 to 123 | 123 to 135 |
|----------|-----------|------------|------------|
| 1 | 1 | 1 | 1 |

Figure 6: Tail Factors to Fit: Paid Loss

| Method | Tail Factor to Ultimate |
|------------------------------------|-------------------------|
| McClenahan Method (exponential) | 1 |
| Modified McClenahan Method | 1 |
| Exponential Decay of LDFs to 1.0 | 1 |
| Sherman Method (inverse power law) | 1 |

Figure 7: Results of Tail Fitting: Paid Loss

| 87 to 99 | 99 to 111 | 111 to 123 | 123 to 135 |
|----------|-----------|------------|------------|
| 1 | 1 | 1 | 1 |

Figure 8: Tail Factors to Fit: Incurred Loss

| Method | Tail Factor to Ultimate |
|------------------------------------|-------------------------|
| McClenahan Method (exponential) | 1 |
| Modified McClenahan Method | 1 |
| Exponential Decay of LDFs to 1.0 | 1 |
| Sherman Method (inverse power law) | 1 |

Figure 9: Results of Tail Fitting: Incurred Loss

| | Development Age | | | | | | | | | | | |
|------------------|-----------------|-------|------|------|------|------|------|------|------|------|------|------|
| | 3 | 15 | 27 | 39 | 51 | 63 | 75 | 87 | 99 | 111 | 123 | 135 |
| LDFs to Ultimate | 3785.67 | 13.24 | 2.25 | 1.37 | 1.17 | 1.10 | 1.05 | 1.03 | 1.01 | 1.01 | 1.00 | 1.00 |

Figure 10: Selected LDFs to Ultimate: Paid Loss

| | Development Age | | | | | | | | | | | |
|------------------|-----------------|-------|------|------|------|------|------|------|------|------|------|------|
| | 3 | 15 | 27 | 39 | 51 | 63 | 75 | 87 | 99 | 111 | 123 | 135 |
| LDFs to Ultimate | 3785.67 | 13.24 | 2.25 | 1.37 | 1.17 | 1.10 | 1.05 | 1.03 | 1.01 | 1.01 | 1.00 | 1.00 |

Figure 11: Selected LDFs to Ultimate: Incurred Loss

| Accident Year | Development Age | Latest Diagonal | LDF to Ultimate | Percent Developed | Ultimate Loss |
|---------------|-----------------|-----------------|-----------------|-------------------|---------------|
| 1995 | 135 | 4,398 | 1.00 | 99.8 | 4,409 |
| 1996 | 123 | 5,191 | 1.00 | 99.7 | 5,209 |
| 1997 | 111 | 4,787 | 1.01 | 99.5 | 4,813 |
| 1998 | 99 | 5,145 | 1.01 | 98.8 | 5,209 |
| 1999 | 87 | 6,244 | 1.03 | 97.4 | 6,413 |
| 2000 | 75 | 4,164 | 1.05 | 94.8 | 4,392 |
| 2001 | 63 | 5,474 | 1.10 | 91.0 | 6,015 |
| 2002 | 51 | 6,748 | 1.17 | 85.3 | 7,908 |
| 2003 | 39 | 4,132 | 1.37 | 73.1 | 5,655 |
| 2004 | 27 | 2,784 | 2.25 | 44.4 | 6,273 |
| 2005 | 15 | 323 | 13.24 | 7.6 | 4,276 |
| 2006 | 3 | 1 | 3785.67 | 0.0 | 3,786 |

Figure 12: Results of Chain Ladder Method on Paid Loss

| Accident Year | Development Age | Latest Diagonal | LDF to Ultimate | Percent Developed | Ultimate Loss |
|---------------|-----------------|-----------------|-----------------|-------------------|---------------|
| 1995 | 135 | 4,399 | 1.00 | 99.9 | 4,403 |
| 1996 | 123 | 5,205 | 1.00 | 99.9 | 5,208 |
| 1997 | 111 | 4,804 | 1.00 | 99.9 | 4,809 |
| 1998 | 99 | 5,176 | 1.01 | 99.4 | 5,207 |
| 1999 | 87 | 6,295 | 1.02 | 98.3 | 6,403 |
| 2000 | 75 | 4,244 | 1.04 | 96.2 | 4,411 |
| 2001 | 63 | 5,546 | 1.07 | 93.1 | 5,956 |
| 2002 | 51 | 7,194 | 1.12 | 89.7 | 8,021 |
| 2003 | 39 | 4,825 | 1.21 | 83.0 | 5,815 |
| 2004 | 27 | 3,981 | 1.56 | 64.0 | 6,218 |
| 2005 | 15 | 915 | 5.20 | 19.2 | 4,758 |
| 2006 | 3 | 13 | 377.83 | 0.3 | 4,912 |

Figure 13: Results of Chain Ladder on Incurred Loss

| Accident Year | Development Age | Latest Diagonal | LDF to Ultimate | Percent Developed | A Priori Loss | BF Ultimate Loss |
|---------------|-----------------|-----------------|-----------------|-------------------|---------------|------------------|
| 1995 | 135 | 4,398 | 1 | 99.8 | 4,800 | 4,410 |
| 1996 | 123 | 5,191 | 1 | 99.7 | 4,800 | 5,207 |
| 1997 | 111 | 4,787 | 1 | 99.5 | 4,800 | 4,813 |
| 1998 | 99 | 5,145 | 1 | 98.8 | 4,800 | 5,204 |
| 1999 | 87 | 6,244 | 1 | 97.4 | 4,800 | 6,371 |
| 2000 | 75 | 4,164 | 1 | 94.8 | 4,800 | 4,413 |
| 2001 | 63 | 5,474 | 1 | 91.0 | 4,800 | 5,906 |
| 2002 | 51 | 6,748 | 1 | 85.3 | 4,800 | 7,452 |
| 2003 | 39 | 4,132 | 1 | 73.1 | 4,800 | 5,425 |
| 2004 | 27 | 2,784 | 2 | 44.4 | 4,800 | 5,454 |
| 2005 | 15 | 323 | 13 | 7.6 | 4,800 | 4,760 |
| 2006 | 3 | 1 | 3,786 | 0.0 | 4,800 | 4,800 |

Figure 14: Results of Bornhuetter-Ferguson Method on Paid Loss

This loss ratio is then used as the a priori loss ratio in the Bornhuetter-Ferguson technique to determine the ultimate loss. Figure 17 demonstrates this for paid loss. Incurred loss is shown in figure 19.

This loss ratio is applied in figure 17 on paid loss to obtain the ultimate loss according to the Cape Cod method.

| Accident Year | Development Age | Latest Diagonal | LDF to Ultimate | Percent Developed | A Priori Loss | BF Ultimate Loss |
|---------------|-----------------|-----------------|-----------------|-------------------|---------------|------------------|
| 1995 | 135 | 4,399 | 1 | 99.9 | 4,800 | 4,404 |
| 1996 | 123 | 5,205 | 1 | 99.9 | 4,800 | 5,207 |
| 1997 | 111 | 4,804 | 1 | 99.9 | 4,800 | 4,809 |
| 1998 | 99 | 5,176 | 1 | 99.4 | 4,800 | 5,204 |
| 1999 | 87 | 6,295 | 1 | 98.3 | 4,800 | 6,376 |
| 2000 | 75 | 4,244 | 1 | 96.2 | 4,800 | 4,426 |
| 2001 | 63 | 5,546 | 1 | 93.1 | 4,800 | 5,876 |
| 2002 | 51 | 7,194 | 1 | 89.7 | 4,800 | 7,689 |
| 2003 | 39 | 4,825 | 1 | 83.0 | 4,800 | 5,642 |
| 2004 | 27 | 3,981 | 2 | 64.0 | 4,800 | 5,708 |
| 2005 | 15 | 915 | 5 | 19.2 | 4,800 | 4,792 |
| 2006 | 3 | 13 | 378 | 0.3 | 4,800 | 4,800 |

Figure 15: Results of Bornhuetter-Ferguson Method on Incurred Loss

| Accident Year | Latest Diagonal | LDF to Ultimate | Total Premium | Used-Up Premium | Expected Loss Ratio |
|---------------|-----------------|-----------------|---------------|-----------------|---------------------|
| 1995 | 4,398 | 1.00 | 6,000 | 5,985 | 73.5 |
| 1996 | 5,191 | 1.00 | 6,000 | 5,980 | 86.8 |
| 1997 | 4,787 | 1.01 | 6,000 | 5,968 | 80.2 |
| 1998 | 5,145 | 1.01 | 6,000 | 5,927 | 86.8 |
| 1999 | 6,244 | 1.03 | 6,000 | 5,842 | 106.9 |
| 2000 | 4,164 | 1.05 | 6,000 | 5,689 | 73.2 |
| 2001 | 5,474 | 1.10 | 6,000 | 5,460 | 100.2 |
| 2002 | 6,748 | 1.17 | 6,000 | 5,120 | 131.8 |
| 2003 | 4,132 | 1.37 | 6,000 | 4,384 | 94.3 |
| 2004 | 2,784 | 2.25 | 6,000 | 2,663 | 104.5 |
| 2005 | 323 | 13.24 | 6,000 | 453 | 71.3 |
| 2006 | 1 | 3785.67 | 6,000 | 2 | 63.1 |
| Total | 49,391 | | 72,000 | 53,472 | 92.4 |

Figure 16: Cape Cod Loss Ratio Selection: Paid Loss

| Accident Year | Development Age | Latest Diagonal | LDF to Ultimate | Percent Developed | A Priori Loss | Cape Cod Ultimate |
|---------------|-----------------|-----------------|-----------------|-------------------|---------------|-------------------|
| 1995 | 135 | 4,398 | 1 | 99.8 | 5,542 | 4,412 |
| 1996 | 123 | 5,191 | 1 | 99.7 | 5,542 | 5,210 |
| 1997 | 111 | 4,787 | 1 | 99.5 | 5,542 | 4,817 |
| 1998 | 99 | 5,145 | 1 | 98.8 | 5,542 | 5,213 |
| 1999 | 87 | 6,244 | 1 | 97.4 | 5,542 | 6,390 |
| 2000 | 75 | 4,164 | 1 | 94.8 | 5,542 | 4,451 |
| 2001 | 63 | 5,474 | 1 | 91.0 | 5,542 | 5,972 |
| 2002 | 51 | 6,748 | 1 | 85.3 | 5,542 | 7,561 |
| 2003 | 39 | 4,132 | 1 | 73.1 | 5,542 | 5,625 |
| 2004 | 27 | 2,784 | 2 | 44.4 | 5,542 | 5,866 |
| 2005 | 15 | 323 | 13 | 7.6 | 5,542 | 5,446 |
| 2006 | 3 | 1 | 3,786 | 0.0 | 5,542 | 5,542 |

Figure 17: Results of Cape Cod Method on Paid Loss

| Accident Year | Latest Diagonal | LDF to Ultimate | Total Premium | Used-Up Premium | Expected Loss Ratio |
|---------------|-----------------|-----------------|---------------|-----------------|---------------------|
| 1995 | 4,399 | 1.00 | 6,000 | 5,994 | 73.4 |
| 1996 | 5,205 | 1.00 | 6,000 | 5,997 | 86.8 |
| 1997 | 4,804 | 1.00 | 6,000 | 5,993 | 80.2 |
| 1998 | 5,176 | 1.01 | 6,000 | 5,964 | 86.8 |
| 1999 | 6,295 | 1.02 | 6,000 | 5,899 | 106.7 |
| 2000 | 4,244 | 1.04 | 6,000 | 5,773 | 73.5 |
| 2001 | 5,546 | 1.07 | 6,000 | 5,587 | 99.3 |
| 2002 | 7,194 | 1.12 | 6,000 | 5,381 | 133.7 |
| 2003 | 4,825 | 1.21 | 6,000 | 4,979 | 96.9 |
| 2004 | 3,981 | 1.56 | 6,000 | 3,841 | 103.6 |
| 2005 | 915 | 5.20 | 6,000 | 1,154 | 79.3 |
| 2006 | 13 | 377.83 | 6,000 | 16 | 81.9 |
| Total | 52,597 | | 72,000 | 56,579 | 93.0 |

Figure 18: Cape Cod Loss Ratio Selection: Incurred Loss

| Accident Year | Development Age | Latest Diagonal | LDF to Ultimate | Percent Developed | A Priori Loss | Cape Cod Ultimate |
|---------------|-----------------|-----------------|-----------------|-------------------|---------------|-------------------|
| 1995 | 135 | 4,399 | 1 | 99.9 | 5,578 | 4,404 |
| 1996 | 123 | 5,205 | 1 | 99.9 | 5,578 | 5,208 |
| 1997 | 111 | 4,804 | 1 | 99.9 | 5,578 | 4,810 |
| 1998 | 99 | 5,176 | 1 | 99.4 | 5,578 | 5,209 |
| 1999 | 87 | 6,295 | 1 | 98.3 | 5,578 | 6,389 |
| 2000 | 75 | 4,244 | 1 | 96.2 | 5,578 | 4,455 |
| 2001 | 63 | 5,546 | 1 | 93.1 | 5,578 | 5,930 |
| 2002 | 51 | 7,194 | 1 | 89.7 | 5,578 | 7,769 |
| 2003 | 39 | 4,825 | 1 | 83.0 | 5,578 | 5,774 |
| 2004 | 27 | 3,981 | 2 | 64.0 | 5,578 | 5,988 |
| 2005 | 15 | 915 | 5 | 19.2 | 5,578 | 5,420 |
| 2006 | 3 | 13 | 378 | 0.3 | 5,578 | 5,576 |

Figure 19: Results of Cape Cod Method on Incurred Loss

4 The ChainLadder Package

This chapter uses the ChainLadder R package by Markus Gesmann. See <http://code.google.com/p/chainladder/> for more information on this package.

4.1 Mack Chain Ladder

Thomas Mack derived in 1993 a very straightforward stochastic model under which the traditional Chain Ladder method would be reasonable.[?] Mack's model can be used to calculate the standard deviation of bulk reserves.

4.1.1 Paid Loss

The results of Mack's Chain Ladder fitted model applied to paid loss are summarized in figure 20. For each origin period, the expected ultimate should exactly match the simple chain ladder results in figure 12. The expected development is graphed in figure 21. Figure 22 shows standardized residuals with a smoothing guide line. Because chain ladder methods choose different factors for each development age, the development age factors should be unbiased. However, if the other plots show any significant trends, it may indicate that the assumptions behind the chain ladder method do not hold. Barnett and Zehnwrith in [?] discuss the interpretation of residual plots.

4.1.2 Incurred Loss

The results of Mack's Chain Ladder fitted model applied to case-incurred loss are summarized in figure 23. For each origin period, the expected ultimate should exactly match the simple chain ladder results in figure 13. As with the paid residual plot, bias or trends in figure 25 may indicate a failure of model assumptions.

4.2 Munich Chain Ladder

The Munich Chain Ladder technique is also included in the ChainLadder package by Markus Gesmann. Typically running chain ladder techniques separately on paid and incurred triangles results in different ultimate loss picks. The Munich Chain Ladder incorporates information from both triangles when selecting LDFs. The results of the method are shown in figure 26.

The central idea of the Munich Chain Ladder is that the paid/incurred loss ratios at the beginning of each development period provide extra information about the loss development in that period. For instance, if the paid/incurred ratio is unusually low, greater than normal paid development is more likely. Figure 27 shows how paid and incurred residuals depend on

| Accident Year | Latest Diagonal | Percent Developed | Mack Ultimate | Bulk Reserve | Mack Standard Error | CV of Bulk Reserves |
|---------------|-----------------|-------------------|---------------|--------------|---------------------|---------------------|
| 1995 | 4,398 | 99.8 | 4,409 | 11 | 14 | 1 |
| 1996 | 5,191 | 99.7 | 5,209 | 18 | 18 | 1 |
| 1997 | 4,787 | 99.5 | 4,813 | 26 | 23 | 1 |
| 1998 | 5,145 | 98.8 | 5,209 | 64 | 37 | 1 |
| 1999 | 6,244 | 97.4 | 6,413 | 169 | 53 | 0 |
| 2000 | 4,164 | 94.8 | 4,392 | 228 | 90 | 0 |
| 2001 | 5,474 | 91.0 | 6,015 | 541 | 141 | 0 |
| 2002 | 6,748 | 85.3 | 7,908 | 1,160 | 234 | 0 |
| 2003 | 4,132 | 73.1 | 5,655 | 1,523 | 335 | 0 |
| 2004 | 2,784 | 44.4 | 6,273 | 3,489 | 531 | 0 |
| 2005 | 323 | 7.6 | 4,276 | 3,953 | 939 | 0 |
| 2006 | 1 | 0.0 | 3,786 | 3,785 | 2,481 | 1 |
| Total | 49,391 | | 64,356 | 14,965 | 2,817 | 0 |

Figure 20: Mack Chain Ladder Results: Paid Loss




Figure 21: Mack Actual and Predicted Development on Paid Loss




Figure 22: Mack Model Residuals: Paid Loss

| Accident Year | Latest Diagonal | Percent Developed | Mack Ultimate | Bulk Reserve | Mack Standard Error | CV of Bulk Reserves |
|---------------|-----------------|-------------------|---------------|--------------|---------------------|---------------------|
| 1995 | 4,399 | 99.9 | 4,403 | 4 | 5 | 1 |
| 1996 | 5,205 | 99.9 | 5,208 | 3 | 6 | 2 |
| 1997 | 4,804 | 99.9 | 4,809 | 5 | 8 | 1 |
| 1998 | 5,176 | 99.4 | 5,207 | 31 | 27 | 1 |
| 1999 | 6,295 | 98.3 | 6,403 | 108 | 43 | 0 |
| 2000 | 4,244 | 96.2 | 4,411 | 167 | 82 | 0 |
| 2001 | 5,546 | 93.1 | 5,956 | 410 | 131 | 0 |
| 2002 | 7,194 | 89.7 | 8,021 | 827 | 226 | 0 |
| 2003 | 4,825 | 83.0 | 5,815 | 990 | 241 | 0 |
| 2004 | 3,981 | 64.0 | 6,218 | 2,237 | 429 | 0 |
| 2005 | 915 | 19.2 | 4,758 | 3,843 | 1,412 | 0 |
| 2006 | 13 | 0.3 | 4,912 | 4,899 | 7,782 | 2 |
| Total | 52,597 | | 66,120 | 13,523 | 7,964 | 1 |

Figure 23: Mack Chain Ladder Results: Incurred Loss




Figure 24: Mack Actual and Predicted Development on Incurred Loss




Figure 25: Mack Model Residuals: Incurred Loss

the previous ratios of paid to incurred loss. Munich method adjusts the expected paid development based on the slope of the line in the left graph. The expected incurred development is adjusted by the right line's slope.

| Accident Year | Latest Paid | Latest Incurred | Latest P/I (%) | Ultimate Paid | Ultimate Incurred | Ultimate P/I (%) |
|------------------|-------------|--------------------|-------------------|------------------|----------------------|---------------------|
| 1995 | 4,398 | 4,399 | 100.0 | 4,409 | 4,403 | 100.1 |
| 1996 | 5,191 | 5,205 | 99.7 | 5,222 | 5,207 | 100.3 |
| 1997 | 4,787 | 4,804 | 99.6 | 4,821 | 4,809 | 100.3 |
| 1998 | 5,145 | 5,176 | 99.4 | 5,220 | 5,207 | 100.3 |
| 1999 | 6,244 | 6,295 | 99.2 | 6,419 | 6,403 | 100.3 |
| 2000 | 4,164 | 4,244 | 98.1 | 4,421 | 4,410 | 100.3 |
| 2001 | 5,474 | 5,546 | 98.7 | 5,974 | 5,959 | 100.3 |
| 2002 | 6,748 | 7,194 | 93.8 | 8,034 | 8,014 | 100.3 |
| 2003 | 4,132 | 4,825 | 85.6 | 5,822 | 5,807 | 100.3 |
| 2004 | 2,784 | 3,981 | 69.9 | 6,236 | 6,220 | 100.3 |
| 2005 | 323 | 915 | 35.3 | 4,733 | 4,721 | 100.3 |
| 2006 | 1 | 13 | 7.7 | 4,828 | 4,816 | 100.3 |
| Totals | 49,391 | 52,597 | 93.9 | 66,139 | 65,976 | 100.2 |

Figure 26: Munich Chain Ladder Results



Figure 27: Munich Chain Ladder Standardized Residuals

5 Assumption Testing

The choice of a development method and age-to-age factors can be considered a special case of linear regression. Each development period is a separate regression where loss development, the dependent variable, depends on the starting loss, the independent variable. Once reserving is construed as linear regression, we can use the standard plots and measures of regression to test the assumptions of our methods.

Figure 28 illustrates the results of running three linear regressions on each age period's paid loss. Each regression corresponds to a different reserving model. If the Bornhuetter-Ferguson or Cape-Cod model is correct, the expected development during each period is independent of the previous development. Thus the regression line should be horizontal. According to the Chain Ladder method, the development should be proportional to the current total loss; thus the regression line is sloped but should have no intercept term. Finally we can consider the possibility that the expected development has both a slope and intercept term.

Figure 29 shows common regression statistics on paid loss by development period. The R^2 of the intercept-only model will always be 0% by definition. A positive R^2 for the link-only (chain ladder) model means that it “explains” more of the variation than the constant development model does. If we include both an intercept and a link parameter, the t - and p -values of each may indicate which fits the data better. The further the t -value is away from 0 and the smaller the p -value, the more important that parameter is to loss development.

Figures 30 and 31 are the analogous exhibits covering regression on incurred loss.




Figure 28: Regression by Development Period: Paid Loss

| Development Period | Link Only R^2 % | Fit Results: Link and Intercept Model | | | | |
|-----------------------|----------------------|---------------------------------------|--------------------|-------------------------|--------------------------|-------------------------|
| | | R^2 % | Link t -Value | Intercept t -Value | Link Power p -val % | Intercept p -val % |
| 3 to 15 | -448.1 | 13.7 | 1 | 7 | 26.2 | 0.0 |
| 15 to 27 | -72.2 | 13.6 | 1 | 3 | 29.5 | 2.3 |
| 27 to 39 | 45.1 | 45.3 | 2 | -0 | 4.7 | 89.3 |
| 39 to 51 | 44.3 | 61.8 | 3 | -2 | 2.1 | 14.8 |
| 51 to 63 | 28.4 | 42.5 | 2 | -1 | 11.2 | 31.8 |
| 63 to 75 | 28.8 | 41.9 | 2 | -1 | 16.5 | 39.6 |
| 75 to 87 | 16.9 | 28.2 | 1 | -1 | 35.8 | 54.1 |
| 87 to 99 | 25.8 | 65.9 | 2 | -2 | 18.8 | 26.5 |
| 99 to 111 | 18.3 | 93.0 | 4 | -3 | 17.0 | 18.9 |
| 111 to 123 | 15.0 | 100.0 | | | | |
| 123 to 135 | | 0.0 | | | | |

Figure 29: Regression Statistics: Paid Loss




Figure 30: Regression by Development Period: Incurred Loss

| Development Period | Link Only R^2 % | Fit Results: Link and Intercept Model | | | | |
|-----------------------|----------------------|---------------------------------------|--------------------|-------------------------|--------------------------|-------------------------|
| | | R^2 % | Link t -Value | Intercept t -Value | Link Power p -val % | Intercept p -val % |
| 3 to 15 | -1184.5 | 1.2 | 0 | 10 | 75.3 | 0.0 |
| 15 to 27 | -82.2 | 0.5 | -0 | 3 | 85.3 | 3.3 |
| 27 to 39 | 21.4 | 23.5 | 1 | 0 | 18.6 | 67.0 |
| 39 to 51 | 38.6 | 44.5 | 2 | -1 | 7.1 | 45.3 |
| 51 to 63 | 12.9 | 19.9 | 1 | -1 | 31.6 | 53.9 |
| 63 to 75 | 25.7 | 43.4 | 2 | -1 | 15.5 | 32.6 |
| 75 to 87 | 15.6 | 28.8 | 1 | -1 | 35.1 | 51.1 |
| 87 to 99 | 26.2 | 87.8 | 4 | -3 | 6.3 | 8.7 |
| 99 to 111 | 12.9 | 72.9 | 2 | -1 | 34.8 | 37.6 |
| 111 to 123 | -18.4 | 100.0 | | | | |
| 123 to 135 | | 0.0 | | | | |

Figure 31: Regression Statistics: Incurred Loss

6 Summary of Results

This section simply compiles the results of the various methods covered earlier. Figures 34 and following show the results in tabular form, while figure 35 has the same information in a bar graph.

| Method | Ultimate by Accident Year | | | | |
|--------------------------------|---------------------------|-------|-------|-------|-------|
| | 1995 | 1996 | 1997 | 1998 | 1999 |
| Paid: Chain Ladder | 4,409 | 5,209 | 4,813 | 5,209 | 6,413 |
| Incurred: Chain Ladder | 4,403 | 5,208 | 4,809 | 5,207 | 6,403 |
| Paid: Bornhuetter-Ferguson | 4,410 | 5,207 | 4,813 | 5,204 | 6,371 |
| Incurred: Bornhuetter-Ferguson | 4,404 | 5,207 | 4,809 | 5,204 | 6,376 |
| Paid: Cape-Cod | 4,412 | 5,210 | 4,817 | 5,213 | 6,390 |
| Incurred: Cape-Cod | 4,404 | 5,208 | 4,810 | 5,209 | 6,389 |
| Paid: Mack Chain Ladder | 4,409 | 5,209 | 4,813 | 5,209 | 6,413 |
| Incurred: Mack Chain Ladder | 4,403 | 5,208 | 4,809 | 5,207 | 6,403 |
| Paid: Munich Chain Ladder | 4,409 | 5,222 | 4,821 | 5,220 | 6,419 |
| Incurred: Munich Chain Ladder | 4,403 | 5,207 | 4,809 | 5,207 | 6,403 |

Figure 32: Multi-method Development Summary

| Method | Ultimate by Accident Year | | | | |
|--------------------------------|---------------------------|-------|-------|-------|-------|
| | 2000 | 2001 | 2002 | 2003 | 2004 |
| Paid: Chain Ladder | 4,392 | 6,015 | 7,908 | 5,655 | 6,273 |
| Incurred: Chain Ladder | 4,411 | 5,956 | 8,021 | 5,815 | 6,218 |
| Paid: Bornhuetter-Ferguson | 4,413 | 5,906 | 7,452 | 5,425 | 5,454 |
| Incurred: Bornhuetter-Ferguson | 4,426 | 5,876 | 7,689 | 5,642 | 5,708 |
| Paid: Cape-Cod | 4,451 | 5,972 | 7,561 | 5,625 | 5,866 |
| Incurred: Cape-Cod | 4,455 | 5,930 | 7,769 | 5,774 | 5,988 |
| Paid: Mack Chain Ladder | 4,392 | 6,015 | 7,908 | 5,655 | 6,273 |
| Incurred: Mack Chain Ladder | 4,411 | 5,956 | 8,021 | 5,815 | 6,218 |
| Paid: Munich Chain Ladder | 4,421 | 5,974 | 8,034 | 5,822 | 6,236 |
| Incurred: Munich Chain Ladder | 4,410 | 5,959 | 8,014 | 5,807 | 6,220 |

Figure 33: Multi-method Development Summary

| Method | Ultimate by Accident Year | | |
|--------------------------------|---------------------------|-------|--------|
| | 2005 | 2006 | Total |
| Paid: Chain Ladder | 4,276 | 3,786 | 64,356 |
| Incurred: Chain Ladder | 4,758 | 4,912 | 66,120 |
| Paid: Bornhuetter-Ferguson | 4,760 | 4,800 | 64,213 |
| Incurred: Bornhuetter-Ferguson | 4,792 | 4,800 | 64,934 |
| Paid: Cape-Cod | 5,446 | 5,542 | 66,504 |
| Incurred: Cape-Cod | 5,420 | 5,576 | 66,933 |
| Paid: Mack Chain Ladder | 4,276 | 3,786 | 64,356 |
| Incurred: Mack Chain Ladder | 4,758 | 4,912 | 66,120 |
| Paid: Munich Chain Ladder | 4,733 | 4,828 | 66,139 |
| Incurred: Munich Chain Ladder | 4,721 | 4,816 | 65,976 |

Figure 34: Multi-method Development Summary




Figure 35: Multi-Method Development Summary Plot

7 Legal

Copyright © 2010 Benedict Escoto

This paper is part of the FAViR project. All the R source code used to produce it is freely distributable under the GNU General Public License. See <http://www.favir.net> for more information on FAViR or to download the source code for this paper.

Copying and distribution of this paper itself, with or without modification, are permitted in any medium without royalty provided the copyright notice and this notice are preserved. This paper is offered as-is, without any warranty.

This paper is intended for educational purposes only and should not be used to violate anti-trust law. The authors and FAViR editors do not necessarily endorse the information or techniques in this paper and assume no responsibility for their accuracy.

References