

Package ‘vinereg’

December 10, 2025

Type Package

Title D-Vine Quantile Regression

Version 0.12.1

Maintainer Thomas Nagler <mail@tnagler.com>

Description Implements D-vine quantile regression models with parametric or nonparametric pair-copulas. See Kraus and Czado (2017) <[doi:10.1016/j.csda.2016.12.009](https://doi.org/10.1016/j.csda.2016.12.009)> and Schallhorn et al. (2017) <[doi:10.48550/arXiv.1705.08310](https://doi.org/10.48550/arXiv.1705.08310)>.

License GPL-3

Imports rvinecopulib (>= 0.7.1.1.0), kde1d (>= 1.1.0), Rcpp, assertthat

LinkingTo rvinecopulib, RcppEigen, Rcpp, BH, wdm, RcppThread, kde1d

RoxygenNote 7.3.3

Suggests knitr, rmarkdown, ggplot2, AppliedPredictiveModeling, quantreg, tidyr, dplyr, purrr, scales, mgcv, testthat, covr

VignetteBuilder knitr

URL <https://tnagler.github.io/vinereg/>

BugReports <https://github.com/tnagler/vinereg/issues>

Encoding UTF-8

NeedsCompilation yes

Author Thomas Nagler [aut, cre],
Dani Kraus [ctb]

Repository CRAN

Date/Publication 2025-12-10 10:00:02 UTC

Contents

cll	2
cpdf	3

cpit	3
plot_effects	4
predict.vinereg	5
vinereg	6
Index	9

c1l *Conditional log-likelihood*

Description

Calculates the conditional log-likelihood of the response given the covariates.

Usage

```
c1l(object, newdata, cores = 1)
```

Arguments

object	an object of class <code>vinereg</code> .
newdata	matrix of response and covariate values for which to compute the conditional distribution.
cores	integer; the number of cores to use for computations.

Examples

```
# simulate data
x <- matrix(rnorm(100), 50, 2)
y <- x %*% c(1, -2)
dat <- data.frame(y = y, x = x, z = as.factor(rbinom(50, 2, 0.5)))

# fit vine regression model
fit <- vinereg(y ~ ., dat)

c1l(fit, dat)
fit$stats$c1l
```

cpdf	<i>Conditional PDF</i>
------	------------------------

Description

Calculates the conditional density of the response given the covariates.

Usage

```
cpdf(object, newdata, cores = 1)
```

Arguments

object	an object of class <code>vinereg</code> .
newdata	matrix of response and covariate values for which to compute the conditional density
cores	integer; the number of cores to use for computations.

Examples

```
# simulate data
x <- matrix(rnorm(100), 50, 2)
y <- x %*% c(1, -2)
dat <- data.frame(y = y, x = x, z = as.factor(rbinom(50, 2, 0.5)))

# fit vine regression model
fit <- vinereg(y ~ ., dat)

cpdf(fit, dat)
```

cpit	<i>Conditional probability integral transform</i>
------	---------------------------------------------------

Description

Calculates the conditional distribution of the response given the covariates.

Usage

```
cpit(object, newdata, cores = 1)
```

Arguments

object	an object of class <code>vinereg</code> .
newdata	matrix of response and covariate values for which to compute the conditional distribution.
cores	integer; the number of cores to use for computations.

Examples

```
# simulate data
x <- matrix(rnorm(100), 50, 2)
y <- x %*% c(1, -2)
dat <- data.frame(y = y, x = x, z = as.factor(rbinom(50, 2, 0.5)))

# fit vine regression model
fit <- vinereg(y ~ ., dat)

hist(cpit(fit, dat)) # should be approximately uniform
```

plot_effects

Plot marginal effects of a D-vine regression model

Description

The marginal effects of a variable is the expected effect, where expectation is meant with respect to all other variables.

Usage

```
plot_effects(object, alpha = c(0.1, 0.5, 0.9), vars = object$order)
```

Arguments

object	a vinereg object
alpha	vector of quantile levels.
vars	vector of variable names.

Examples

```
# simulate data
x <- matrix(rnorm(100), 50, 2)
y <- x %*% c(1, -2)
dat <- data.frame(y = y, x = x, z = as.factor(rbinom(50, 2, 0.5)))

# fit vine regression model
fit <- vinereg(y ~ ., dat)
plot_effects(fit)
```

predict.vinereg	<i>Predict conditional mean and quantiles from a D-vine regression model</i>
-----------------	------------------------------------------------------------------------------

Description

Predict conditional mean and quantiles from a D-vine regression model

Usage

```
## S3 method for class 'vinereg'
predict(object, newdata, alpha = 0.5, cores = 1, ...)

## S3 method for class 'vinereg'
fitted(object, alpha = 0.5, ...)
```

Arguments

object	an object of class vinereg.
newdata	matrix of covariate values for which to predict the quantile.
alpha	vector of quantile levels; NA predicts the mean based on an average of the 1:10 / 11-quantiles.
cores	integer; the number of cores to use for computations.
...	unused.

Value

A data.frame of quantiles where each column corresponds to one value of alpha.

See Also

[vinereg](#)

Examples

```
# simulate data
x <- matrix(rnorm(100), 50, 2)
y <- x %*% c(1, -2)
dat <- data.frame(y = y, x = x, z = as.factor(rbinom(50, 2, 0.5)))

## fixed variable order (no selection)
(fit <- vinereg(y ~ ., dat, order = c("x.2", "x.1", "z.1")))

# model predictions
mu_hat <- predict(fit, newdata = dat, alpha = NA) # mean
med_hat <- predict(fit, newdata = dat, alpha = 0.5) # median
```

```
# observed vs predicted
plot(cbind(y, mu_hat))
```

 vinereg

D-vine regression models

Description

Sequential estimation of a regression D-vine for the purpose of quantile prediction as described in Kraus and Czado (2017).

Usage

```
vinereg(
  formula,
  data,
  family_set = "parametric",
  selcrit = "aic",
  order = NA,
  par_1d = list(),
  weights = numeric(),
  cores = 1,
  ...,
  uscale = FALSE
)
```

Arguments

formula	an object of class "formula"; same as <code>lm()</code> .
data	data frame (or object coercible by <code>as.data.frame()</code>) containing the variables in the model.
family_set	see family_set argument of <code>rvinecopulib::bicop()</code> .
selcrit	selection criterion based on conditional log-likelihood. "loglik" (default) imposes no correction; other choices are "aic" and "bic".
order	the order of covariates in the D-vine, provided as vector of variable names (after calling <code>vinereg:::expand_factors(model.frame(formula, data))</code>); selected automatically if order = NA (default).
par_1d	list of options passed to <code>kde1d::kde1d()</code> , must be one value for each margin, e.g. <code>list(xmin = c(0, 0, NaN))</code> if the response and first covariate have non-negative support.
weights	optional vector of weights for each observation.
cores	integer; the number of cores to use for computations.
...	further arguments passed to <code>rvinecopulib::bicop()</code> .
uscale	if TRUE, vinereg assumes that marginal distributions have been taken care of in a preliminary step.

Details

If discrete variables are declared as `ordered()` or `factor()`, they are handled as described in Panagiotelis et al. (2012). This is different from previous version where the data was jittered before fitting.

Value

An object of class `vinereg`. It is a list containing the elements

formula the formula used for the fit.

selcrit criterion used for variable selection.

model_frame the data used to fit the regression model.

margins list of marginal models fitted by `kde1d::kde1d()`.

vine an `rvinecopulib::vinecop_dist()` object containing the fitted D-vine.

stats fit statistics such as conditional log-likelihood/AIC/BIC and p-values for each variable's contribution.

order order of the covariates chosen by the variable selection algorithm.

selected_vars indices of selected variables.

Use `predict.vinereg()` to predict conditional quantiles. `summary.vinereg()` shows the contribution of each selected variable with the associated p-value derived from a likelihood ratio test.

References

Kraus and Czado (2017), D-vine copula based quantile regression, *Computational Statistics and Data Analysis*, 110, 1-18

Panagiotelis, A., Czado, C., & Joe, H. (2012). Pair copula constructions for multivariate discrete data. *Journal of the American Statistical Association*, 107(499), 1063-1072.

See Also

[predict.vinereg](#)

Examples

```
# simulate data
x <- matrix(rnorm(100), 50, 2)
y <- x %*% c(1, -2)
dat <- data.frame(y = y, x = x, z = as.factor(rbinom(50, 2, 0.5)))

# fit vine regression model
(fit <- vinereg(y ~ ., dat))

# inspect model
summary(fit)
plot_effects(fit)

# model predictions
```

```
mu_hat <- predict(fit, newdata = dat, alpha = NA) # mean
med_hat <- predict(fit, newdata = dat, alpha = 0.5) # median

# observed vs predicted
plot(cbind(y, mu_hat))

## fixed variable order (no selection)
(fit <- vinereg(y ~ ., dat, order = c("x.2", "x.1", "z.1")))
```


Index

`as.data.frame()`, 6

`c11`, 2

`cpdf`, 3

`cpit`, 3

`fitted.vinereg(predict.vinereg)`, 5

`kde1d::kde1d()`, 6, 7

`lm()`, 6

`plot_effects`, 4

`predict.vinereg`, 5, 7

`predict.vinereg()`, 7

`rvinecopulib::bicop()`, 6

`rvinecopulib::vinecop_dist()`, 7

`vinereg`, 5, 6